

Deposition of Sediment

Increase cover from grass and or legume rotations or high residue crops combined with other conservation practices such as conservation tillage will reduce upland erosion which in turn, reduces sediment from surface runoff and wind.

Compaction

Monoculture agriculture and tillage weaken soil structural characteristics increasing susceptibility to compaction (Schnitzer 1991). Sod base rotations with deep root systems can reduce compaction through the addition of organic matter and development of channels from decayed roots; thus improving water movement and aeration. Rotations that increase organic matter, microbial activity and aggregation of soil particles, will also increase porosity and lower bulk density.

Soil Aggregation at the Surface

Rotations that promote the increase of organic matter and microbial activity will increase aggregate stability. Caution: If residue is incorporated, with tillage, benefits of increased biomass is lessened.

Infiltration

Conservation crop rotation systems that promote an increase in organic matter and an increase of aggregate stability will maintain or improve the presence of pores for infiltration (Schnitzer, 1991). Decaying roots, especially those of deep rooted crops like alfalfa and safflower, will leave channels for improved infiltration. Other conservation practices may be needed in crop rotations such as crop residue management to ensure surface protection and improve infiltration. Caution: Macropores can result in an increase of leaching of highly soluble pesticides if a heavy rain occurs within a few hours after application.

Soil Crusting

If residues are left on the soil surface and sod based rotations are included with high residue crops, the increase in organic matter, improved infiltration, and increased aggregate stability will reduce soil crusting. Caution: Monoculture and low residue cropping systems with tillage will increase the decay of organic

matter and reduce aggregate stability which often results in soil crusting .

Nutrient Loss or Imbalance

One of the principles of crop rotation is to precede a nitrogen demanding crop with a legume crop to provide nitrogen. Sod rotations with deeply rooted crops can penetrate to depths of 5 to 6 feet and cycle nutrients especially the more soluble nutrients such as nitrates. Crop rotations that promote increased biomass provide a slow release of nutrients to the root zone.

Pesticide Carryover

Where different crops are grown each year and crop rotations reduce the chance of pesticide buildup. The threat of pest tolerance to insecticides and herbicides are reduced with rotations (Reeves, 1994). Rotations increasing organic matter improve the environment for biological activity that will increase the breakdown of pesticides.

Soil Organic Matter

The amount and type of organic matter is indicative of soil productivity (Mitchell et al 1996). The types of crops grown, the amounts of roots, biomass yield, and efficiency of harvest, and the management of residues affect soil organic matter (Magdoff, 1993). High residue crops in rotation with cover crops and conservation tillage increase amounts of organic matter compared to conventional tillage and monoculture. It is practically impossible to increase organic matter where moldboard plowing is taking place (Reicosky et al, 1995). Vegetables and other low residue crop rotations will need other practices such as, cover crops to increase biomass yield.

Biological Activity

There is a direct relationship to the amount of residue and the population of soil microorganisms. Research in Oregon showed wheat-fallow systems had only 25% of the microorganisms found under pasture. When rotations are more complex and include sod crops soil biological diversity will increase (Magdoff, 1993). Soil organisms that are active in the soil, include bacteria, fungi, actinomycetes, protozoa, yeast, algae, earthworms and insects. Numbers of soil

organisms in general are proportional to organic matter concentrations in the upper 15 inches (Schnitzer, 1991). Moldboard plow tillage systems decrease earthworms and other soil organisms.

Weeds, Insects and Pathogens

Certain harmful insects and diseases over winter in the soil. Monoculture promotes increases in insects and diseases. Different crops grown in a 2 to 3 year rotation will reduce the chances for survival of insects and diseases (Agronomy Department, Virginia Polytechnic Institute, 1959). Rotations break the life cycles of specific weeds which adapted to narrow ecological niches associated with continuous cropping. Selective pressures on weeds, including crop competition, pathogens and pests, herbicide tolerance, fertility factors, and tillage are reduced when crop rotation is not practiced. (Reeves, 1994).

Soil Salinity

Conservation practices along with rotations that help control soil salinity include reducing summer fallow, increasing organic matter, use deeply rooted perennial forage crops, conservation tillage, and plant salt tolerant crops (Eilers et al 1995).

Effective crop rotations are important for sustaining productivity and conserving our natural resources. In addition to erosion protection, crop rotations increase soil organic matter and improve physical properties. They also break disease, insect and weed life cycles and improve nutrient and water usage. Conservation tillage enhances the effects of conservation rotation systems conventional tillage can often mask some of the benefits. For more information read the following references.

References:

- Brady, Nyle. 1974. Glossary p. 620. The Nature and Properties of Soils 8th Edition. Macmillan Publishing Co., INC. New York, NY.
- Agronomy Department, Virginia Polytechnic Institute. 1959. p. 118-126. A Handbook of Agronomy.
- Eilers, R. G., W. D. Eilers, W. W. Pettapiece, and G. Lelyk. p. 77-86 in D. F. Action and L. J. Gregorich (eds.) (1995): The Health of Our Soils Toward Sustainable Agriculture in Canada.
- Hatfield, J. L. and B. A. Stewart (eds.) (1994). Preface. Soil Biology: Effects on Soil Quality, Adv. Soil Science.
- Heath, Maurice, Darrel Metcalfe, and Robert Barnes. 1976. p. 35. Forages The Science of Grassland Agriculture Third Edition. The Iowa State University Press. Ames, Iowa, U.S.A.
- Martin, J. H., W. H. Leonard, and D. L. Stamp. 1976. Principles of field crop production. Macmillan Publishing, Co., Inc. New York, NY.
- Mitchell, C. C., F. J. Arriga, J. A. Entry, W. R. Goodman, J. L. Novak, D. W. Reeves, M. W. Runge and G. L. Traxler. P. 18. The old rotation, 1896-1996 100 years of sustainable cropping research (Manuscript to be submitted as a bulletin in commemoration of the centennial of the old rotation).
- Magdoff, Fred. 1992. p. 90-102. Building Soils For Better Crops. University of Nebraska Press, Lincoln and London.
- Reeves, D. W. 1994. p. 125-158. In: J. L. Hatfield and B. A. Stewart (eds.) Crops residue management. Advances in soil science.
- Reicosky, D. C., W. D. Kemper, G. W. Langdale, C. L. Douglas, Jr., and P. E. Rasmussen. 1995. Soil organic matter changes resulting from tillage and biomass production. J. Soil and Water Cons. 50:253-261.
- Schnitzer, M. p. 33-49. Soil organic matter and soil quality, Technical-Bulletin-Agriculture-Canada-No. 1991-1E.

United States
Department of
Agriculture

Natural
Resources
Conservation
Service

Soil Quality Institute
2150 Pammel Dr.
Ames, IA 50011
515-294-4592

Technical
Note No. 2

August, 1996

Page 3

The United States Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact the USDA office of Communications at (202) 720-5881 (voice) or (202) 720-7808 (TDD). To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D. C. 20250, or call (202) 720-7327 (voice) or (202) 720-1127 (TDD). USDA is an equal employment employer.